




JP Maths

Revision




Attempt the paper
before watching the
solutions!

[https://www.youtube.com/
@JPMathsRevision](https://www.youtube.com/@JPMathsRevision)



HIGHER TIER

Frustums



INSTRUCTIONS

- Use **black ink** or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You must **show all your working.**
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.



INFORMATION

- The marks for **each** question are shown in brackets– *use this as a guide as to how much time to spend on each question.*



ADVICE

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.




You've got this!

1. A frustum is formed by removing a small cone from a larger cone.

The large cone has height 15 cm and radius 6 cm.

The small cone removed has radius 2 cm.

Find the height of the small cone.



cm

(Total for Question 1 is 2 marks)

2. A frustum is formed by removing a small cone from a larger cone.


The radius of the top of the frustum is 3 cm.

The radius of the base of the cone is 6 cm.

The vertical height of the original larger cone is 8 cm.

Find the volume of the frustum.

Give your answer to 3 significant figures.



cm^3

.....
(Total for Question 2 is 4 marks)


3. A frustum is formed from a cone of height 20 cm and radius 10 cm.

A smaller similar cone is removed from the top.

The radius of the smaller cone is 5 cm.

Find the volume of the frustum.

Give your answer to 3 significant figures.



cm^3


(Total for Question 3 is 3 marks)

4. A frustum is formed by removing a smaller cone from a large cone of height 18 cm and radius 9 cm.

The smaller cone has radius 3 cm.

Find the volume of the frustum.

Give your answer to 3 significant figures.



cm^3


.....
(Total for Question 4 is 4 marks)

5. A frustum is formed by removing a smaller cone from a larger cone.

The radii of the cones are in the ratio small : large = 1 : 3.

The height of the large cone is 18 cm.

Find the height of the frustum.



cm

.....
(Total for Question 5 is 2 marks)

6. A decorative candle is shaped like a frustum of a cone.


The radius of the base is 7 cm and the radius of the top is 4 cm.

The height of the candle is 12 cm.

The wax has a density of 0.92 g/cm^3 .

Find the mass of the candle.

Give your answer to 3 significant figures.



7. A container is shaped like a frustum.


The radius at the base is 6 cm and the radius at the top is 3 cm.

The height is 15 cm.

Water flows into the container at a rate of 20 cm^3 per second.

How long does it take to fill the container?

Give your answer in minutes and seconds.



.....
(Total for Question 7 is 4 marks)